HOUSE of PLANTS

26 HOTCHKISS STREET, SOUTH

ACHIMENES

BINGHAMTON, NEW YORK

GESNERIACEAE SPECIALTIES

1960 - 1961

FIRST CLASS MAIL

LIBRAR. Y
RECEIVED

* MAR 8 1960 *
U. S. Department of Agriculture

Kissing Cousins of the African Violet

Ra

Red and Orange Flowers

ACHIMENES -- The Magic Flower

Free-blooming in many color combination patterns, summer flowering plants of diverse form and habit, natives of tropical America. Achimenes are rapidly gaining in this country the fantastic popularity they enjoyed at the turn of the century in Europe where they have been grown and prized for their beauty since 1778.

Achimenes are at home in the greenhouse or conservatory, brightening a cottage kitchen window sill, or adorning a terrace, porch, or patio where too much shade and the heat of summer restrict the blooming of more common summer flowering plants.

Dormant rhizomes are shipped, weather permitting, February through May only. They are priced per dozen, postpaid, with six or three at the dozen rate. No single rhizome orders, please! Most growers plant six rhizomes to a pot These multiply rapidly to produce a large number of rhizomes for planting the following year.

per dozen

| Red alld Oralige Flowers per | uozen |
|---|--------|
| 'Brilliant'. Scarlet flowers, much larger | |
| than 'Pulchella' but otherwise similar | \$5.00 |
| coccinea var. coccinea. Jamaican import. Deep |) |
| scarlet, late blooming, many flowered plant | 6.00 |
| coccinea 'Pulchella'. Most popular form of the | |
| scarlet flowered Achimenes. Easy to grow | 2.00 |
| heterophylla. Attractive scarlet flowers with a | |
| long spur; Mexican species. 'Ghiesbreghtii' | 4.00 |
| 'Lady Lyttelton'. Fairly tall, upright plant with | |
| magnificent multicolored flowers | 2.00 |
| 'Master Ingram'. Velvety textured, deep glowing | 3 |
| red flowers with straight orange tube | 3.00 |
| pedunculata. Tall, late blooming, spectacular. | |
| Orange blooms with bright red spots. | 3.00 |
| Skinneri. Medium height, scarlet flowers with | |
| golden throat, midseason blooming. | 4.00 |
| | |
| Blue Flowers per o | dozen |
| 'Adelaide'. Very floriferous, pale blue with | |
| gold and lavender in the white throat | \$3.00 |
| 'Andersoni'. Intense blue longiflora type flowers | 5 |
| of large size on trailing plants | 2.00 |
| | |



The only Achimenes with regularly double flowers is 'Violacea Semi-Plena' with deep purple blooms.

| 'Blue Star'. Lavender blue flowers, radiant dark | |
|---|--|
| red lines centering deeply cut lobes | 3.00 |
| 'Cattleya'. Pale orchid blue longiflora-type | |
| flowers; bright green leaves, trailing habit | 2.00 |
| 'Dentoniana'. Popular varicolored, large blue | |
| | 3.00 |
| flower with yellow and purple splotches | |
| 'Francois Cardinaux'. Dwarf, upright plants with | |
| myriads of two-toned flowers, very unusual | 3.00 |
| 'Galatea'. Deep blue longiflora-type flowers; | |
| deeply notched lobes, not overlapping | 2.00 |
| longiflora. Selections from lavender-blue forms | |
| Most popular and easiest to grow Achimenes | 2.00 |
| | |
| 'Longiflora Major'. Classic deep blue large flow | |
| ers with white throat. Rampant grower | 2.00 |
| "Montezuma'. Pure blue, longiflora-type large | |
| flowers with overlapping segments | 2.00 |
| 'Topsy'. California-bred 1954 introduction. Pale | 9 |
| | |
| blue flowers; very dark leaves, red beneath | 4.00 |
| | |
| Purple and Violet Flowers per o | logon |
| | lozen |
| 'Ancilla'. Cascades of violet colored blooms; | |
| | \$5.00 |
| 'Atropurpurea'. Deep reddish purple flowers with | |
| lilac throats, a short spur behind | 2.00 |
| 'Bob Campbell'. 1960 introduction. Vivid | |
| purple flowers on trailing stems | 6.00 |
| | 0.00 |
| 'Escheriana'. Favorite since 1847. Multitude | |
| of reddish purple flowers with gold spots | 2.00 |
| 'Gilda'. Deep purple flowers from Holland, 1953. | |
| Longiflora-type with red dots in throat. | |
| Longitiona type with rea dots in thout. | 4.00 |
| | |
| 'Leonora'. 1953 introduction resembling 'Purple | 4.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat | |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. | 4.00 2.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers | 4.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong | 4.00 2.00 3.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems | 4.00 2.00 3.00 6.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong | 4.00 2.00 3.00 6.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white | 4.00 2.00 3.00 6.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. | 4.00 2.00 3.00 6.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple | 4.00 2.00 3.00 6.00 2.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason | 4.00 2.00 3.00 6.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason 'Mauve Queen'. Tall prize winner since 1862. | 4.00 2.00 3.00 6.00 2.00 3.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason 'Mauve Queen'. Tall prize winner since 1862. Bright red dots at throat; violet flowers | 4.00 2.00 3.00 6.00 2.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason 'Mauve Queen'. Tall prize winner since 1862. Bright red dots at throat; violet flowers | 4.00 2.00 3.00 6.00 2.00 3.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason 'Mauve Queen'. Tall prize winner since 1862. | 4.00 2.00 3.00 6.00 2.00 3.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason 'Mauve Queen'. Tall prize winner since 1862. Bright red dots at throat; violet flowers 'Miniata'. Early blooming flower of many changing colors; ruffled form; compact stems | 4.00 2.00 3.00 6.00 2.00 3.00 3.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason 'Mauve Queen'. Tall prize winner since 1862. Bright red dots at throat; violet flowers 'Miniata'. Early blooming flower of many changing colors; ruffled form; compact stems 'Nancy'. Large, deep violet flowers, with | 4.00 2.00 3.00 6.00 2.00 3.00 3.00 2.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason 'Mauve Queen'. Tall prize winner since 1862. Bright red dots at throat; violet flowers 'Miniata'. Early blooming flower of many changing colors; ruffled form; compact stems 'Nancy'. Large, deep violet flowers, with radiant purple lines. Introduced 1957 | 4.00 2.00 3.00 6.00 2.00 3.00 3.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason 'Mauve Queen'. Tall prize winner since 1862. Bright red dots at throat; violet flowers 'Miniata'. Early blooming flower of many changing colors; ruffled form; compact stems 'Nancy'. Large, deep violet flowers, with radiant purple lines. Introduced 1957 patens 'Major'. Very vivid color, reddish purple | 4.00 2.00 3.00 6.00 2.00 3.00 2.00 4.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason 'Mauve Queen'. Tall prize winner since 1862. Bright red dots at throat; violet flowers 'Miniata'. Early blooming flower of many changing colors; ruffled form; compact stems 'Nancy'. Large, deep violet flowers, with radiant purple lines. Introduced 1957 patens 'Major'. Very vivid color, reddish purple flower, throat stained orange; dwarf plant | 4.00 2.00 3.00 6.00 2.00 3.00 3.00 2.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason 'Mauve Queen'. Tall prize winner since 1862. Bright red dots at throat; violet flowers 'Miniata'. Early blooming flower of many changing colors; ruffled form; compact stems 'Nancy'. Large, deep violet flowers, with radiant purple lines. Introduced 1957 patens 'Major'. Very vivid color, reddish purple flower, throat stained orange; dwarf plant 'Paul Arnold'. Longiflora-type flower named by | 4.00 2.00 3.00 6.00 2.00 3.00 2.00 4.00 |
| 'Leonora'. 1953 introduction resembling 'Purple King' with conspicuous gold throat 'Lilac'. Floriferous plant of medium height. Longiflora form, medium size flowers 'Lucille Borges'. Introduced 1960. Strong violet flowers on sturdy stems 'Mme. Georges'. Bluish violet flowers with white reverse; orange-speckled tube. Outstanding. 'Masterpiece'. Dwarf plant with reddish purple flowers; blooms early to midseason 'Mauve Queen'. Tall prize winner since 1862. Bright red dots at throat; violet flowers 'Miniata'. Early blooming flower of many changing colors; ruffled form; compact stems 'Nancy'. Large, deep violet flowers, with radiant purple lines. Introduced 1957 patens 'Major'. Very vivid color, reddish purple flower, throat stained orange; dwarf plant | 4.00 2.00 3.00 6.00 2.00 3.00 2.00 4.00 |

'Blue Star'. Lavender blue flowers, radiant dark

1960 - 1961 LIST Page three

SCALY RHIZOMES OF ACHIMENES and some other Gesneriads are produced among the hair-like feeding roots. Resembling birch catkins or miniature pine cones, these curious growths are planted, after winter dormancy has ended, to grow new plants the following year.



| 'Pulcherrima'. Leaves more or less red underneath. | |
|---|---|
| Purple flowers, tiny red dots in throat 2.0 | 0 |
| 'Purple King'. Flowers like 'Pulcherrima' but | |
| leaves are pale green underneath, bright green | |
| above. Very easy to grow and very popular 2.0 | 0 |
| 'Royal Purple'. Dark bronzy leaves, red underneath. | |
| Dark purple flowers with contrasting white | |
| throats, large red dots in throat 2.0 | 0 |
| 'Violacea Semi-Plena'. The only (semi) double | |
| Achimenes, Velvety, deep purple color; dwarf | |
| upright plant, very floriferous. Sometimes | |
| incorrectly called 'Venusta'. 4.0 | 0 |

| White Flowers per | dozen |
|--|--------|
| 'Ambroise Verschaffelt'. Lacework of purple | |
| lines veining the yellow throat | \$2.40 |
| candida. A multitude of small flowers with a | |
| yellow tube; native Guatemala species | 6.00 |
| 'Dainty Queen'. A lavender dot appears in the | |
| throat. Sometimes a shy bloomer | 2.40 |
| glabrata. Huge fringed flowers as large as the | |
| slipper gloxinias; very unusual species | 10.00 |
| longiflora var. alba. Largest white flowers; | |
| often called 'Jaureguia Maxima' Mexican sp. | 3.00 |
| 'Margaritae'. Pure white flowers without any | |
| color or marking. English origination. | 3.00 |
| misera. Dwarf species with many tiny white | |
| flowers with maroon spots in gold throat | 6.00 |
| 'Purity'. Similar to 'Margaritae' but has a | |
| touch of lavender in the throat | 3.00 |
| | |
| Pink Flowers per | dozen |
| 'Adele Delahaute'. Pale rose, large flowers; | |
| sometimes called 'Pink Beauty' | \$2.40 |
| 'Charm'. Dwarf plant with many warm pink | |
| flowers with golden yellow centers | 3.00 |
| 'Little Beauty'. Compact plant with flowers much | |
| like 'Charm'; leaves red underneath | 3.00 |
| 'Peach Blossom'. Delicate rose colored flow- | |
| ers on a plant of compact habit. New 1960 | 6.00 |
| 'Wetterlow's Triumph'. Unusual pink flowers wit | |
| embossed face. Introduced 1957 | 6.00 |

| Orchid, Lavender, and Lilac Flowers per d | ozen |
|---|--------|
| 'Camille Brozzoni'. Myriads of small size light | |
| purple flowers with pure white throat | \$3.00 |
| Ehrenbergii. Leaves densely woolly underneath. | |
| Plant compact, large; Gloxinia-like blooms | 5.00 |
| grandiflora 'Maduna'. Large size spurred flowers | |
| with contrasting white throat, floriferous | 2.00 |
| grandiflora 'Robusta'. Collected in eastern Mexic | 00 |
| Like 'Maduna' with deeper notched limb | 2.00 |
| 'Lake City'. Robust plant, large flowers, violet | |
| color. Introduced 1958. | 2.00 |
| 'Lovely Scheriana'. Formerly 'Loveliness', The | |
| midseason blooms resemble 'Escheriana' | 2.00 |
| 'Mme. Geheune'. Large, reddish violet flowers, | |
| erect stems, dark leaves; from India | 3.00 |
| mexicana. The true species, formerly called | |
| Scheeria Mexicana. Velvety green leaves and | |
| large Gloxinia-like violet flowers | 4.00 |
| 'Nisida'. Large blue flowers of remarkable sub- | |
| stance with bright yellow center | 5.00 |
| 'Vivid'. Magenta flowers with bright orange | |
| tubes; glossy leaves; good in baskets | 2.00 |
| | |

BOTANICAL SPECIES ACHIMENES

The botanical species of Achimenes as they occur in nature are preferred over hybrids of unknown parentage by the plant breeders who aspire to cross the Achimenes with some other member of the Gesneriad family or to create new forms and colors. We offer twelve clones; some of them collected in the wild. All are believed to be close to natural material.

A special ACHIMENES SPECIES COLLECTION is offered at ten dollars for 36 rhizomes, consisting of three each of twelve different species, labeled.

| Natural Species Achimenes per | dozen |
|--|--------|
| candida Lindley, white flowers abundantly | \$6.00 |
| coccinea (Scopoli) Persoon, scarlet flowers | 6.00 |
| Ehrenbergii (Hanstein) H. E. Moore, bluish | 5.00 |
| glabrata (Zuccarini) Hanstein, white flowers | 10.00 |
| grandiflora (Schiede) de Candolle, magenta | 2.00 |
| heterophylla (Martius) de Candolle, scarlet | 4.00 |
| longiflora de Candolle, lavender flowers | 2.00 |
| longiflora var alba Haage, white flowers | 3.00 |
| mexicana (Seemann) Bentham & Hooker filius | 4.00 |
| misera Lindley, dwarf plant, white flowers | 6.00 |
| pedunculata Bentham, orange with red spots | 3.00 |
| Skinneri Lindley, scarlet and gold flowers | 4.00 |

SPECIAL OFFERS -- ACHIMENES COLLECTIONS -- All Clones Separately Labeled

BEGINNERS' COLLECTION - Three each of 5 different kinds, easy to grow, 15 rhizomes for only \$2.00
ADVANCED GROWERS' COLLECTION - Three each of 12 different kinds, all colors, 36 rhizomes 5.00
NATURAL SPECIES COLLECTION - Three each of 12 different natural species, 36 rhizomes for 10.00
MASTER COLLECTION - Three each of thirty different colors, types, blooming times; ninety for 15.00
COMPREHENSIVE COLLECTION - Three each, all different, fifty species and cultivars, 150 for 25.00



AESCHYNANTHUS - The Lipstick Plant

Asiatic trailing plants with spectacular, brightly colored flowers. Usually grown in hanging baskets, they may be trained on a trellis for pot culture. Formerly called Trichosporum. Unrooted cuttings are available at half the pot plant price.

| | plants |
|--|--------|
| Ae. javanicus. Bright red flowers, yellow in | |
| the mouth and limb; calyx downy | \$3.00 |
| Ae. Lobbianus. Flowers red with yellow mouth, | |
| calyx dark purple. Popular in Europe. | 1.00 |
| Ae. longiflorus. Uniformly red flowers, the | |
| mouth contracted. | 3.00 |
| Ae. marmoratus. Mottled green leaves, red | |
| underneath; flowers green and brown | 1.00 |
| Ae. parasiticus. Incorrectly grandiflorus, has | |
| black-marked, scarlet corolla | 3.00 |
| Ae. pulcher. Large bright red corolla from a | |
| green or purplish calyx. Popularly called "Th | е |
| Lipstick Plant." | 1.50 |
| Ae. speciosus. Orange and red flowers four | |
| inches long. Free growing show prize winner | 1.00 |

BOEA

Compact pot plants from Malaya, India, and environs with spirally twisted fruits like $\underline{\text{Streptocarpus}}$ but flat flowers with short tubes, like $\underline{\text{Saintpaulia}}$, in clusters on lax cymes.

B. hygroscopica (hygrometrica). Has vivid blue flowers with bright yellow centers; bright green leaves are attractively moulded; grows six inches tall. Plants only, no cuttings. \$5.00

CHIRITA - The Hindustan Gentian

From the mountains of India, therefore adapted to moderate temperatures, thriving indoors with plenty of water. Usually grown from seed, which is produced abundantly by self-pollination.

| | plants |
|--|--------|
| C. Blumei. Bushy, erect plant; 1-1/2 to 2 feet tall with blue and white flowers. Plants only | \$8.00 |
| C. lavandulacea. An attractive pot plant with | 40.00 |
| light green succulent stems, grows sturdily | |
| upright a foot or more. Flowers pale lavender | |
| with white centers, blooming over long period | 1.00 |
| C. sinensis. Chinese Chirita with pale lilac | |
| flowers having a short upper lip. A low-growi | ng |
| pot plant with conspicuously marked leaves | 8.00 |

CHRYSOTHEMIS

Fleshy plants under 12 inches tall, growing from firm tubers like Gloxinias and native to the West Indies and Central America. Formerly Tussacia.

| | tubers |
|---|--------|
| C. Friedrichsthaliana. Bright green leaves, | |
| yellow flowers with orange spots on the face. | \$1.50 |
| C. pulchella. Like the above but the flowers | |
| have technical differences | 3.00 |

CODONANTHE - Central American Bellflower

Attractive and tolerant plants for hanging baskets. In flower almost continuously. Unrooted cuttings are available at half the pot plant prices.

| | plants |
|--|--------|
| C. crassifolia. Shiny leaves and waxy white | |
| flowers, red-splotched inside the tube. C. crassifolia 'Panama'. Similar to the above | \$2.00 |
| but has darker green leaves. | 2.00 |

COLUMNEA

Central American trailing plants with large, brightly colored flowers in profusion. A few species will grow sturdily upright but others may be trained upon supports. Easier to grow indoors than Episcias and more spectacular when in flower. Unrooted cuttings available at half the pot plant prices.

| | plants |
|---|--------|
| C. affinis. Erect plant with tubular orange | |
| flowers, green leaves have red hairs | \$4.00 |
| C. Allenii. Small, shapely, dark leaves; red | |
| flowers, strongly 2-lipped, very ornamental | 2.00 |
| C. arguta. Small, glossy, heart-shaped leaves | |
| on red-haired green stems. Two inch orange-r | ed |
| flowers in autumn. | 2.00 |




Large flowered Columneas are adaptable either to trail from a basket or train upright in a pot.

| C. X Banksii. 1918 hybrid from Cambridge, Englar | nd. |
|--|------|
| (C. Oerstediana σ X C. Schiedeana ρ). Very | 1 00 |
| | 1.00 |
| <u>C. crassifolia</u> . Incorrectly called <u>stenophylla</u> . Bright scarlet flowers in spring on stiff stems | 2.00 |
| C. 'Garfield Two'. Unnamed selection from Nor- | 2.00 |
| wegian bred hybrids between <u>C. microphylla</u> | |
| X C. 'Vedrariensis' which included 'Stavan- | |
| | 1.00 |
| C. gloriosa. Velvety red hairs on green leaves, | |
| huge orange flowers several times yearly | 1.00 |
| C. hirta. Vermilion flowers, on stiff, erect | |
| stems covered with red hairs. Striking. | 2.00 |
| <u>C</u> . 'Ithacan'. Type selection of 1953 hybrid species <u>C</u> . X <u>euphora</u> (<u>C</u> . <u>gloriosa</u> φ X | |
| C. lepidocaula of) diagnosed by H. E. Moore | |
| in 1957. Flowers like gloriosa, very vigorous. | 2.00 |
| C. lepidocaula. Incorrectly called calotricha, | |
| and microcalyx, has orange flowers with yellow | |
| underneath. Sturdy upright habit | 4.00 |
| C. linearis. Rose-pink flowers, unusual for a | |
| Columnea with narrow dark green leaves on stiff | |
| stems. Introduced 1953. For pot or basket. | 2.00 |
| C. 'Lyndon Lyon'. Result of a 1947 cross of <u>C</u> . X <u>Banksii</u> of X <u>C</u> . <u>linearis o</u> having small | |
| flexible leaves; shrubby, upright growth | 4.00 |
| C. magnifica. Downy green leaves on a showy | |
| plant, easy to manage. Scarlet flowers | 3.00 |
| C. microphylla. Incorrectly called diminutifolia. | |
| Has tiny leaves, dense red-brown hairs on | |
| willowy stems; scarlet and yellow flowers. | 2.00 |
| C. Moorii. Brought from Panama in 1955 and first | |
| offered for sale in 1960. A new species with remarkable flowers of vivid red with bright | |
| yellow faces, entirely covered by long, silky | |
| red hairs. Described and named by C. V. | |
| Morton in June 1959 to honor H. E. Moore. | 3.00 |
| C. nicaraguensis. Shrubby, upright plant with | |
| flowers like gloriosa. Introduced 1952 under | |
| the incorrect name localis. | 2.00 |
| <u>C. Oerstediana?</u> Small ovate leaves; scarlet flowers two and a half inches long. | 2.00 |
| C. 'Othello'. Dark leaves, more robust than | 2.00 |
| | 3.00 |
| C. percrassa. From Costa Rica 1941, but not | |
| recognized as a new species until described | |
| by C. V. Morton in June 1959. Small dark green | 1 |
| glossy leaves; flowers slender, scarlet. | 3.00 |
| C. sanguinea. Sturdily upright plant with large | |
| hairy leaves. Irregular blood-red spots under- | 0 00 |
| neath. Woolly yellow flowers. <u>C</u> . 'Stavanger'. Norwegian hybrid, <u>C</u> . microphyll | 2.00 |
| X C. X vedrariensis. Red flowers. | 3.00 |
| C. tulae. Sometimes additionally called "var. | |
| flava." but only the yellow flowering sort is in | |
| cultivation. Soft leaves, floriferous | 1.50 |
| C. 'V. Covert'. Registered October 1958. Bred | |
| from C. linearis o X C. tulae o . Lush growth | |
| small leaves, coral flowers 1-1/2 inch long. | 4.00 |
| <u>C</u> . <u>verecunda</u> . Many bright yellow flowers on sturdy stems. Dark green leaves, red beneath | 3.00 |
| | 3.00 |
| C. X Woodii. (C. crassifolia Q X C. | |
| nicaraguensis of) by H. E. Moore. Flowers | 3.00 |
| dark reddish orange on stiff stems. Robust. | 3.00 |

DIASTEMA

Summer flowering pot plants cultivated like Achimenes. They have lush green leaves, miniature flowers; are suitable for small pots.

| rhi | zomes |
|--|--------|
| D. quinquevulnerum. Many small white flowers | |
| all summer, blotched with pink | \$1.00 |
| D. vexans. White flowers with prominent purple | |
| mark on each corolla lobe, velvety leaves | 1.00 |



EPISCIA - The Peacock Foliage Plant

Next to the African Violet in popularity as a house or conservatory plant and just as easy to grow, though sometimes damaged if chilled below 50° Fahrenheit. Flowers are white, blue, red, orange, yellow, and pink but the decorative leaves are the greatest attraction. Unrooted cuttings at half the pot plant prices.

| Pink Flowers - X Wilsonii hybrids | plants |
|--|--------|
| 'Catherine'. Green leaves with silver flecks, | \$3.00 |
| and pale green veins. Robust grower. | 3.00 |
| 'Coral Gables'. Reddish bronze, bubbly leaves; | |
| very vigorous plant. Coral pink flowers. | 3.00 |
| 'Ember Lace'. Sometimes shows pink or white | |
| splotches on the leaves, but not dependably | 3.00 |
| 'Pinkiscia'. First pink flowered hybrid, intro- | |
| duced by Wilson. Bronzy green leaves. | 2.00 |
| | |
| Blue Flowers - E. lilacina variations | plants |
| E. lilacina var. cuprea. Bronzy brown leaves. | |
| A variation of the natural species. | \$1.50 |
| E. lilacina var. lilacina. Sometimes called 'Mrs | S. |
| Fanny Haage' or 'Chontalensis'. Attractive. | 1.00 |
| E. lilacina viridis. Silvery center stripe on | |
| soft velvety green leaves. Costa Rica. | 1.50 |
| | |

EPISCIA - Continued from page 5

Yellow Flowers plants
'Tropical Topaz'. Clear butter yellow flowers,
unmarked green leaves, very floriferous \$2.00
'Sungold'. Registered by Nagler 1959; sport of
X Wilsonii. Pale yellow flowers, dark lvs. 3.00

Red Flowers - E. reptans hybrids plants
'Filigree'. Clear red flowers in abundance;
leaves lustrous, olive-green with silvery
green center. Developed at Cornell U. \$4.00
'Noel'. Christmas red flowers against a bright
green leaf. X variabilis hybrid. New 1960 4.00
'Shimmer'. Another of Dr. Moore's interspecific
hybrids showing "moonglow" effect of iridescent silvery green veins on a deep chocolate
green background. Introduced 1960. 4.00

White Flowers - various species plants

'Amazon White'. Undescribed species from
Brazil; long slender flowers, green leaves \$4.00

E. dianthiflora. Deeply fringed white flowers.

New 1945, Dainty growth, small leaves 1.00

E. punctata. Toothed leaves; purple spots on fringed, ivory-colored flowers; tolerant 1.00
'San Lorenzo'. Unidentified Panamanian species 3.00

Orange Flowers - E. cupreata and hybrids pl. 'Chocolate Soldier'. Silvery center merges with plants dark chocolate brown leaf margins. \$1.00 'Emerald Queen'. Emerald green leaf with silver pattern and veins. 1953 introduction. 'Harlequin'. A 1953 sport of 'Variegata' having darker leaf margins than its parent 'Jean Bee'. Iridescent metallic center on a bronzy leaf. Introduced 1958 and one of the best recent Episcias, very unusual 2.00 'Metallica'. A variation of the species having red-margined silvery center streak 'Moss Agate'. Introduced 1960. All-over silvery netting on bright green leaf. Panama. 'Silver Sheen'. Best one of the early mutants. Velvety silvery leaves with dark margins 1.00 'Sylvan Beauty'. Leaves of silvery green with characteristic orange flowers. Dependable. 1.00 'Tricolor'. Peterson hybrid, outstanding 1959 introduction. Leaves white, light green, and dark greenish-brown, red underneath. 2.00 'Viridifolia'. Unmarked bright green leaves. 1.00 'Westwood'. Green and golden sheen centering bronze leaves. Peterson 1955 introduction 1.50

X GLOXINERA

Intergeneric hybrids (mules) between <u>Sinningia</u> (<u>Gloxinia</u>) and <u>Rechsteineria</u> (<u>Gesnera</u>) with flowers and form intermediate between the parents. Interesting, fertile bigeners useful for further hybridization.

'Coral Gem'. Registered 1957, introduced 1960. Very floriferous and reblooming. R. cyclophylla of X S. eumorpha of. tubers each \$2.00
'Harold'. A superior selection from the same Cornell University cross which produced 'Velvet Charm'.
S. eumorpha X R. 'Splendens'. Pink blooms. 2.00
'Harold Hybrids'. Back crosses of X Gloxinera 'Harold' fertilized by the seed parent S. eumorpha.
Large white flowers covered with bright red hairs tubers each 2.00

Gloxineras of the 'Harold' type have long tubular flowers of R. cardinalis inclination but the colors are on the pink rather than the scarlet order, intermediate between the parents. These mules are fertile.





Hypocyrta nummularia flowers, with their curious shape and brilliant color are certain to attract attention. A circle of pure yellow color surrounds the tiny, constricted mouth. Along the red stems, strange swellings occur, an aid in propagation for they form roots readily.

GLOXINIA

The true species <u>Gloxinia</u>, unlike the Florists' <u>Gloxinia</u> (<u>Sinningia speciosa</u>) has no underground tuber. From scaly rhizomes, erect stems bear many flowers.

G. perennis. Large, downy, bluish flowers like a Canterbury Bell; grown in Europe since 1739 as G. maculata. each \$1.50

HYPOCYRTA - The Pouch Flower

Easily recognized by the unusual, swollen shape of the flowers, the Hypocyrtas of South and Central America are small shrubs, but one is a trailing vine.

<u>H. nummularia</u>. Compact trailer with tiny, round leaves, red-hairy stems, vermilion flowers. The plant rests in winter. Cuttings at half the pot plant price. Plants each \$1.00

 $\underline{\text{H.}}$ $\underline{\text{Selloana}}$. Upright shrub easily managed in a pot. Reddish flowers continuously. Plants each \$2.00

KOELLIKERIA - Dwarf Bellflower

Very dwarf summer flowering plants. The only one in cultivation has a miniature spike of tiny two colored bell flowers. Excellent for the window garden.

 $\frac{\text{K. erinoides}}{\text{rosette of leaves silver speckled.}}$ Cream-white, red-spotted flowers, the

KOHLERIA - Formerly Tydaea or Isoloma

Upright pot plants blooming during fall and winter from scaly rhizomes, have velvety leaves, brightly colored and variously spotted hairy flowers.

amabilis. Rose colored flowers with purple spots on the limb. Old favorite species. Each \$1.00 amabilis cultivar 'Mrs. Keller'. Pale flowers flushed pink and spotted dark purple. Each .50 bogotensis. Red-spotted yellow flowers. Each 1.00 'Bogotensis Hybrid'. Dwarf plant having more orange in the flower than the type. Each .50 'Cecelia'. Watermelon pink flowers. Each eriantha. Orange-red, hairy flowers. Each 'Eriantha Hybrids'. Typical red-bordered green Each 1.50 Each 2.00 leaves; larger, spotted blooms. Each 1.00 Lindeniana. Violet and white flowers, dwarf habit, beautifully patterned leaves. Each .75 'Sciadotydaea Hybrids'. Large flowers, redspotted, tall growing plants. tubiflora. Slender, cylindrical, 1 inch flowers, unmarked leaves. Robust plant. I'VanTubergen Hybrids'. Mostly pink and red, Each 3.00 large flowers on medium size plants. Each .75

LYSIONOTUS

Small shrubs from India and eastern Asia with pendulous flowers of unusual form and soft coloration.

<u>L. serratus</u>. Easily grown, rapidly multiplying pot plants with pale lilac flowers in corymbs. Cuttings at half the plant price. Plants \$3.00



Attractive green foliage with red patterns of this Nautilocalyx Forgetii outshine the yellow flowers.

NAUTILOCALYX

Erect, shrubby pot plants with attractive leaves and inconspicuous but interesting yellow flowers. They are easily propagated and tolerant of indoor growing conditions. Cuttings at half the pot plant prices.

bullatus. The dark brown "bubbly-leaved" species,
incorrectly called Episcia Tesselata. Each \$1.00
Forgetii. Bright green leaves with colorful
darker pattern, wavy edges; yellow flowers
covered with fine hairs Plants each 1.50
Lynchii. Leaves dark maroon, almost black,
red midrib with veins, reddish purple
beneath; pale yellow flowers Plants each 1.00

NEMATANTHUS

Peruvian trailing plant with striking flowers dangling from long pedicels. Easily grown. Cuttings at half the pot plant prices.

 $\underline{\text{N.}}$ longipes. Thick smooth green leaves, two inch long flaming red flowers. Plants each \$3.00

PETROCOSMEA - Oriental Rock Plants

Resembling <u>Saintpaulias</u>, these plants from China, Burma, Assam, and Siam were named "Ornament of the Rock" because of their habitat.

- $\underline{\underline{P}}$. $\underline{\underline{Kerrii}}$. Curious yellow and white flowers hide under the velvety leaves. Small plants each \$5.00
- P. Parryorum Has violet colored flowers and soft hairy green leaves. Small plants each \$5.00

RECHSTEINERIA - Formerly Corytholoma and Gesnera

Brilliant flowers in clusters; attractive soft green leaves. Blooms several times yearly from firm tubers which grow larger year after year.

cardinalis. Long, tubular, scarlet blooms and bright green, soft, velvety leaves. Tubers .75 cyclophylla. Neon red flowers soon after potting.

Incorrectly called R. macropoda. Tubers Each 1.25 leucotricha. The "Albino Rechsteineria". Leaves covered with long white hairs. Tubers each 2.00 lineata. Intense orange-red flowers; red streaks on the light green stems Tubers 2.00 Sellovii. Very tall species with pale red small tubular flowers on a spike. Tubers 3.00 Warsczewiczii. Many orange-red flowers Tubers 4.00

GESNERIAD SEEDS

Fresh seeds are available from time to time throughout the year in limited quantity. They are priced uniformly at one dollar per packet, postpaid. Special seed availability lists are compiled quarterly. Please write for a copy.



Easier to manage than a Gloxinia, Rechsteineria cyclophylla flowers several times a year.

SINNINGIA

The genus to which the Gloxinias of commerce belong. The natural species specially interest the hybridizers.

barbata. Introduced to U.S.A. in 1956. Hairy white flowers are red inside. Tall plant. Each \$5.00 eumorpha. Shiny leaves, white flowers with a purple-striped yellow throat. Fine. Each 1.25 pusilla. Tiniest of all Gesneriads. Miniature flowers are lilac colored, prolific. Each 2.00 regina. Silver veins on dark green leaves; nodding dark purple blooms. Each 1.00 tubiflora. Incorrectly Achimenes tubiflora, the long white flowers are fragrant. Each .50

SMITHIANTHA - Temple Bells

Prized for the foliage which has decorative patterns of red or brown on bright green, hairy leaves, a long period of winter bloom from scaly rhizomes. Formerly called Naegelia or Gesneria.

 $\frac{\text{cinnabarina.}}{\text{Multiflora Hybrids'.}}$ Leaves like red plush Each \$2.00 'Sunburst'. Yellowish-orange flowers dotted
bright red inside the throat. Rhizomes each 3.00
'Sunset Purple'. Near-white limb covered with
purple dots. Introduced in 1957. Each 3.00
'Tangerine'. Orange red over bright yellow tube,
typical Zebrina patterned leaves. Each 1.00
'Zebrina Hybrids'. Mixed colors and leaf types;
brightly colored flowers, Dwarf plants. 1.00
'Rose Queen' Introduced 1949. Green leaves
mottled purple; pink spotted flowers. Each 2.00

STREPTOCARPUS - The Streptocarpella Subgenus

The following species from East Africa, seldom seen in cultivation, have woody stems which branch and grow upright. Cuttings available at half plant prices.

caulescens. Many violet flowers on branching plant with shiny oval leaves. Plants each \$2.00 saxorum. Beautiful leaves with white-throated lilac colored flowers. Grows upright with support or fine in a hanging basket. Each 1.50 Holstii. Flowers blue like caulescens but nearly twice as large and with more prominent white throat. Fine erect plant Each 2.00

TRICHANTHA

From Ecudor, trailing plants related to Columnea, with curiously shaped flowers, very striking effect in a hanging basket.

T. minor. Markedly unequal opposite leaves; flowers resembling Columnea Moorii; red-purple with long, silky red hairs and bright yellow face, upper lobes marked black. Cuttings at half plant price. \$2.00

TITANOTRICHUM

Unusual Gesneriad plants from Formosa, new to cultivation. Produce scaly rhizomes like Kohleria.

T. Oldhamii. Long flower-bearing stems having many bright chrome yellow flowers with deep red faces.

ORDERS should be accompanied by check or M. O. payment in full. No charge accounts or C. O. D. shipments, please! Prices snown here include postpaid shipment and packaging charges. If you want Special Handling or Special Delivery, please include payment. Any excess will be promptly returned to you.

PARTIAL SHIPMENT will be made if tubers are not all dormant at the same time. Back orders will be filled when available or we will refund if you request. Our customers usually have specific requirements, so substitutes will not be made for unavailable items. If you prefer to receive items of equal or greater value, we will make substitutions on request. Otherwise, we will refund your money FOREIGN ORDERS are accepted for seeds only. No discounts are given to dealers. We are growers and hybridizers of many different items and seldom produce surplus quantities sufficient for the wholesale trade.

WE GUARANTEE ALL PLANTS to be correctly labeled and in healthy condition when shipped. Should mistakes occur, we will cheerfully replace any plant materials which are not as represented. Orders are accepted subject to prior sale and we are responsible only for the value of the plant materials. YOUR GROWING CONDITIONS are beyond our control but we want you to succeed in growing and flowering Gesneriads. The Achimenes cultural leaflets sent with every shipment give soil and handling directions which suit most of the other Gesneriads. If you have any special growing problems, we will do our best to help you. NEW PLANTS are available from time to time, from botanical sources or from hybridizers. If you are looking for an unlisted plant, please write. We may have or can get it.